

TEL: +46 070-536 3939

WEB: www.kelberg.se



MODEL ST410K **KEL-BERG 3-AXLE 30 TON SWAP BODY DRAWBAR TRAILER**

SPECIFICATION FOR ST410K

KEL-BERG 3-AXLE 30 TON SWAP BODY DRAWBAR TRAILER

DIMENSIONS & WEIGHTS:

Total lenght 12.165 - 12.965 mm

Drawbar length 4.200 - 5.000 mm

Front overhang 760 mm
Rear overhang 910 mm
Coupling height 650 mm
Width 2.550 mm
Load height 1.190 mm

Axle distance 4.210 mm - 1.840 mm

Speed 90 km/h
Front axle load 10.000 kg
Rear axle load 20.000 kg
Total weight 30.000 kg
Tare weight 5.400 kg



Manufactured with a strong main frame, welded steel construction with 57mm Drawbar type 2007 from Trailerkomponenter AB.

- 1 slider for container
- 1 pc putt beam
- 1 tipping cylinder Penta

BODY:

1 x 5.600 - 6.000 mm container.

WHEELS & TYRES:

12 pcs 265/70 R19.5 mounted on steel rim.













PAGE: 2

WWW.KELBERG.SE | +46 070-536 3939 | 253 68, HELSINGBORG

SPECIFICATION FOR ST410K

KEL-BERG 3-AXLE 30 TON SWAP BODY DRAWBAR TRAILER

AXLES:

3 x 10 ton BPW axles with disc brakes 2 axle liftable - (Pin 10) Air suspension with level valve manoeuvrable front and rear. With ABS, EBS

BRAKES:

2-circuit compressed air system with EBS and ABS Spring brake bells for the parking brake Duomatic red/yellow

ELECTRICAL SYSTEM:

24 Volts according to current regulations 2 x multi-chamber rear LED lights Side/position lights of diode type LED 4 pcs rear lights LED

ELECTRICAL CONNECTORS:

1 x 14-pin plug for lighting

PAINTING:

3 coats of base paint with zinc primer 2 component surface coating Colour: Any RAL colour













SPECIFICATION FOR ST410K

KEL-BERG 3-AXLE 30 TON SWAP BODY DRAWBAR TRAILER

OTHERS:

Red/white reflective signs (ECE70) Mudguards with anti-spray P-light with remote control to lock & pull.













PAGE: 4

WWW.KELBERG.SE | +46 070-536 3939 | 253 68, HELSINGBORG